preclinical model for determining the role of AVPR1A in autism spectrum isorders lovel strategies to manipulate Ube3a expression for the treatment of autism and Angelman syndrome louse genetic model of a dysregulated serotonin transporter variant associated with autism leural mechanisms of social cognition and bonding	\$0 \$0 \$0 \$0	Mount Sinai School of Medicine University of North Carolina at Chapel Hill Vanderbilt University	
nd Angelman syndrome louse genetic model of a dysregulated serotonin transporter variant ssociated with autism leural mechanisms of social cognition and bonding	\$0	, .	
ssociated with autism eural mechanisms of social cognition and bonding		Vanderbilt University	
<u> </u>	\$0	Vanderbilt University	
avelenment of a high content neuronal accounts agreen the account for		Emory University	
evelopment of a high-content neuronal assay to screen therapeutics for ne treatment of cognitive dysfunction in autism spectrum disorders	\$0	Massachusetts Institute of Technology	
nteraction between MEF2 and MECP2 in the pathogenesis of autism pectrum disorders - 1	\$0	Burnham Institute	
aspr2 dysfunction in autism spectrum disorders	\$0	Yale University	
europharmacology of motivation and reinforcement in mouse models of utistic spectrum disorders	\$0	University of North Carolina School of Medicine	
rCAM, a candidate susceptibility gene for visual processing deficits in utism	\$0	University of North Carolina at Chapel Hill	
nteraction between MEF2 and MECP2 in the pathogenesis of autism pectrum disorders -2	\$0	Burnham Institute	
nalysis of cortical circuits related to ASD gene candidates	\$0	Cold Spring Harbor Laboratory	
eriving neuroprogenitor cells from peripheral blood of individuals with utism	\$0	University of Utah	
lethods for production of ICSI and SCNT derived macaque stem cells	\$19,188	Southwest Foundation For Biomedical Research	
licro-RNA regulation in pluripotent stem cells	\$19,189	Southwest Foundation For Biomedical Research	
valuation of altered fatty acid metabolism via gas chromatography/mass pectroscopy and time-of-flight secondary ion mass spectroscopy imaging in the propionic acid rat model of autism spectrum disorders	\$25,000	University of Western Ontario	
he role of SHANK3 in the etiology of autism spectrum disorder	\$28,000	Johns Hopkins University	
hank3 mutant characterization in vivo	\$28,000	University of Texas Southwestern Medical Center	
lentifying genetic modifiers of rett syndrome in the mouse	\$30,000	Baylor College of Medicine	
ole of L-type calcium channels in hippocampal neuronal network activity	\$32,741	Stanford University	
entral vasopressin receptors and affiliation	\$32,896	Emory University	
eurogenomics in a model for procedural learning	\$33,053	University of California, Los Angeles	
reclinical testing of novel oxytocin receptor activators in models of autism henotypes	\$39,325	University of North Carolina at Chapel Hill	
lentifying impairments in synaptic connectivity in mouse models of ASD	\$40,000	University of Texas Southwestern Medical Center	
eural mechanisms of social cognition and bonding	\$43,862	Emory University	
haracterization of autism susceptibility genes on chromosome 15q11-13	\$47,606	Beth Israel Deaconess Medical Center	
ynaptic plasticity, memory and social behavior	\$52,154	New York University	
novel cell-based assay for autism research and drug discovery	\$60,000	University of Arizona	
he genetics of restricted, repetitive behavior: An inbred mouse model	\$60,000	University of Florida	

Project Title	Funding	Institution		
Genomic resources for identifying genes regulating social behavior	\$60,000	Emory University		
Animal models of autism: Pathogenesis and treatment	\$84,999	University of Texas Southwestern Medical Center		
Synaptic deficits of iPS cell-derived neurons from patients with autism	\$86,588	Stanford University		
Serotonin, autism, and investigating cell types for CNS disorders	\$90,000	The Rockefeller University		
Vasopressin receptors and social attachment	\$121,500	Emory University		
Modeling and pharmacologic treatment of autism spectrum disorders in Drosophila	\$127,500	Albert Einstein College of Medicine of Yeshiva University		
Mice lacking Shank postsynaptic scaffolds as an animal model of autism	\$128,445	Massachusetts Institute of Technology		
Systematic analysis of neural circuitry in mouse models of autism	\$149,973	Cold Spring Harbor Laboratory		
Functional study of synaptic scaffold protein SHANK3 and autism mouse model	\$150,000	Duke University		
Using Drosophila to model the synaptic function of the autism-linked NHE9	\$150,000	Massachusetts Institute of Technology		
Investigating the effects of chromosome 22q11.2 deletions	\$150,000	Columbia University		
Control of synaptic protein synthesis in the pathogenesis and therapy of autism	\$155,063	Massachusetts General Hospital		
Preclinical testing of novel oxytocin receptor activators in models of autism phenotypes	\$167,572	University of North Carolina at Chapel Hill		
Murine genetic models of autism	\$172,389	Vanderbilt University		
Small-molecule compounds for treating autism spectrum disorders	\$175,000	The University of North Carolina at Chapel Hill		
Dissecting the circuitry basis of autistic-like behaviors in mice	\$175,000	Massachusetts Institute of Technology		
16p11.2: defining the gene(s) responsible	\$175,000	Cold Spring Harbor Laboratory		
Genetic models of serotonin transporter regulation linked to mental disorders	\$184,375	Medical University of South Carolina		
High-resolution diffusion tensor imaging in mouse models relevant to autism	\$199,724	University of Pennsylvania		
Identification of autism genes that regulate synaptic Nrx/Nlg signaling complexes	\$200,000	Stanford University		
Using iPS cells to study genetically defined forms with autism	\$200,000	Stanford University		
Patient iPS cells with copy number variations to model neuropsychiatric disorders	\$207,388	The Hospital for Sick Children		
Neurobiology of mouse models for human chr 16p11.2 microdeletion and fragile X	\$210,000	Massachusetts Institute of Technology		
High content screens of neuronal development for autism research	\$210,977	University of California, San Diego		
Characterization of a novel mouse model of restricted repetitive behaviors	\$222,000	University of North Carolina at Chapel Hill		
A mouse knock-in model for ENGRAILED 2 autism susceptibility	\$227,135	University of Medicine & Dentistry of New Jersey		
Integrated approach to the neurobiology of autism spectrum disorders	\$232,118	Yale University		
Functional genomic dissection of language-related disorders	\$235,753	University of Oxford		

Project Title	Funding	Institution	
Exploring the neuronal phenotype of autism spectrum disorders using induced pluripotent stem cells	\$241,503	Stanford University	
Autism iPSCs for studying function and dysfunction in human neural development	\$254,152	The Scripps Research Institute	
Optimization of methods for production of both ICSI- and SCNT derived baboon embryonic stem cells	\$260,102	Southwest Foundation For Biomedical Research	
Cntnap2 in a behavioral model of autism	\$262,356	University of California, Los Angeles	
Novel genetic animal models of autism	\$274,750	University of Texas Southwestern Medical Center	
Cellular and genetic correlates of increased head size in autism spectrum disorder	\$282,901	Yale University	
Novel models to define the genetic basis of autism	\$289,633	Cold Spring Harbor Laboratory	
Insight into MeCP2 function raises therapeutic possibilities for Rett syndrome	\$295,298	University of California, San Francisco	
Dynamic regulation of Shank3 and ASD	\$300,000	Johns Hopkins University	
Serotonin, corpus callosum, and autism	\$303,250	University of Mississippi Medical Center	
Neurobiological mechanism of 15q11-13 duplication autism spectrum disorder	\$304,500	Beth Israel Deaconess Medical Center	
Animal model of speech sound processing in autism	\$325,125	University of Texas at Dallas	
The genetic control of social behavior in the mouse	\$346,000	University of Hawai'i at Manoa	
Preclinical testing of novel oxytocin receptor activators in models of autism phenotypes	\$346,289	University of North Carolina at Chapel Hill	
Neurobiology of sociability in a mouse model system relevant to autism	\$354,375	University of Pennsylvania	
The role of SHANK3 in autism spectrum disorders	\$360,000	Mount Sinai School of Medicine	
Central vasopressin receptors and affiliation	\$364,425	Emory University	
Investigation of the role of MET kinase in autism	\$366,308	Johns Hopkins University School of Medicine	
Function and dysfunction of neuroligins	\$374,383	Stanford University	
Neural and cognitive mechanisms of autism	\$375,000	Massachusetts Institute of Technology	
Basal ganglia circuitry and molecules in pathogenesis of motor stereotypy	\$387,767	University of California, Los Angeles	
Neuroligin function in vivo: Implications for autism and mental retardation	\$392,500	University of Texas Southwestern Medical Center	
Using zebrafish and chemical screening to define function of autism genes	\$399,999	Whitehead Institute for Biomedical Research	
Synaptic and circuitry mechanisms of repetitive behaviors in autism	\$400,000	Massachusetts Institute of Technology	
Genomic imbalances at the 22q11 locus and predisposition to autism	\$400,000	Columbia University	
Characterization of the transcriptome in an emerging model for social behavior	\$426,250	Emory University	
Transgenic mouse model to address heterogeneity in autism spectrum disorders	\$468,586	Vanderbilt University	
Role of UBE3A in neocortical plasticity and function	\$490,000	Duke University	

Project Title	Funding	Institution	
Novel probiotic therapies for autism	\$570,145	California Institute of Technology	
Role of a novel Wnt pathway in autism spectrum disorders	\$750,000	University of California, San Francisco	
Dissecting the neural control of social attachment	\$772,500	University of California, San Francisco	
Neurogenetic model of social behavior heterogeneity in autism spectrum disorders	\$795,188	Duke University	
Using induced pluripotent stem cells to identify cellular phenotypes of autism	\$800,000	Stanford University	
Behavioral and physiological consequences of disrupted Met signaling	\$800,000	University of Southern California	
Animal models of neuropsychiatric disorders	\$1,769,941	National Institutes of Health	
Regulation of gene expression in the brain	\$2,086,763	National Institutes of Health	